

References

- American College of Sports Medicine. (2018). ACSM's guidelines for exercise testing and prescription (10th ed.). Wolters Kluwer.
- Aragon, A. A., & Schoenfeld, B. J. (2013). Nutrient timing revisited: Is there a post-exercise anabolic window? *Journal of the International Society of Sports Nutrition*, 10(1), 5.
- Beardsley, C., & Škarabot, J. (2015). Effects of self myofascial release: A systematic review. *Journal of Bodywork and Movement Therapies*, 19(4), 747 to 758.
- Behm, D. G., Blazevich, A. J., Kay, A. D., & McHugh, M. (2016). Acute effects of muscle stretching on physical performance, range of motion, and injury incidence in healthy active individuals: A systematic review. *Applied Physiology, Nutrition, and Metabolism*, 41(1), 1 to 11.
- Behm, D. G., & Chaouachi, A. (2011). A review of the acute effects of static and dynamic stretching on performance. *European Journal of Applied Physiology*, 111(11), 2633 to 2651.
- Bishop, P. A., Jones, E., & Woods, A. K. (2008). Recovery from training: A brief review. *Journal of Strength and Conditioning Research*, 22(3), 1015 to 1024.
- Bleakley, C., McDonough, S., Gardner, E., Baxter, G. D., Hopkins, J. T., & Davison, G. W. (2012). Cold water immersion (cryotherapy) for preventing and treating muscle soreness after exercise. *Cochrane Database of Systematic Reviews*, (2), CD008262.
- Cheung, K., Hume, P. A., & Maxwell, L. (2003). Delayed onset muscle soreness: Treatment strategies and performance factors. *Sports Medicine*, 33(2), 145 to 164.
- Cheuvront, S. N., & Kenefick, R. W. (2014). Dehydration: Physiology, assessment, and performance effects. *Comprehensive Physiology*, 4(1), 257 to 285.
- Clarkson, P. M., & Hubal, M. J. (2002). Exercise-induced muscle damage in humans. *American Journal of Physical Medicine and Rehabilitation*, 81(11), S52 to S69.
- Colberg, S. R., Sigal, R. J., Yardley, J. E., Riddell, M. C., Dunstan, D. W., Dempsey, P. C., Horton, E. S., Castorino, K., & Tate, D. F. (2016). Physical activity/exercise and diabetes: A position statement of the American Diabetes Association. *Diabetes Care*, 39(11), 2065 to 2079.

- Costello, J. T., Baker, P. R., Minett, G. M., Bieuzen, F., Stewart, I. B., & Bleakley, C. (2015). Whole body cryotherapy for preventing and treating muscle soreness after exercise in adults. *Cochrane Database of Systematic Reviews*, (9), CD010789.
- Damas, F., Phillips, S. M., Libardi, C. A., Vechin, F. C., Lixandrão, M. E., Jannig, P. R., Costa, L. A., Bacurau, A. V., Snijders, T., Parise, G., Tricoli, V., Roschel, H., & Ugrinowitsch, C. (2016). Resistance training induced changes in integrated myofibrillar protein synthesis are related to hypertrophy only after attenuation of muscle damage. *Journal of Physiology*, 594(18), 5209 to 5222.
- Donnelly, J. E., Blair, S. N., Jakicic, J. M., Manore, M. M., Rankin, J. W., & Smith, B. K. (2009). American College of Sports Medicine Position Stand. Appropriate physical activity intervention strategies for weight loss and prevention of weight regain for adults. *Medicine and Science in Sports and Exercise*, 41(2), 459 to 471.
- Dupuy, O., Douzi, W., Theurot, D., Bosquet, L., & Dugué, B. (2018). An evidence based approach for choosing post-exercise recovery techniques to reduce markers of muscle damage, soreness, fatigue, and inflammation: A systematic review with meta-analysis. *Frontiers in Physiology*, 9, 403.
- Enoka, R. M., & Duchateau, J. (2008). Muscle fatigue: What, why, and how it influences muscle function. *Journal of Physiology*, 586(1), 11 to 23.
- Fradkin, A. J., Zazryn, T. R., & Smoliga, J. M. (2010). Effects of warming up on physical performance: A systematic review with meta-analysis. *Journal of Strength and Conditioning Research*, 24(1), 140 to 148.
- Fyfe, J. J., Bishop, D. J., & Stepto, N. K. (2014). Interference between concurrent resistance and endurance exercise: Molecular bases and the role of individual training variables. *Sports Medicine*, 44(6), 743 to 762.
- Gandevia, S. C. (2001). Spinal and supraspinal factors in human muscle fatigue. *Physiological Reviews*, 81(4), 1725 to 1789.
- Garber, C. E., Blissmer, B., Deschenes, M. R., Franklin, B. A., Lamonte, M. J., Lee, I. M., Nieman, D. C., & Swain, D. P. (2011). American College of Sports Medicine Position Stand. Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults. *Medicine and Science in Sports and Exercise*, 43(7), 1334 to 1359.
- Gibala, M. J., Little, J. P., MacDonald, M. J., & Hawley, J. A. (2012). Physiological adaptations to low volume, high intensity interval training in health and disease. *Journal of Physiology*, 590(5), 1077 to 1084.
- Haff, G. G., & Triplett, N. T. (Eds.). (2016). *Essentials of strength training and conditioning* (4th ed.). Human Kinetics.

- Helms, E. R., Aragon, A. A., & Fitschen, P. J. (2014). Evidence-based recommendations for natural bodybuilding contest preparation: Nutrition and supplementation. *Journal of the International Society of Sports Nutrition*, 11, 20.
- Helms, E. R., Kwan, K., Sousa, C. A., Cronin, J. B., Storey, A. G., & Zourdos, M. C. (2018). Methods for regulating and monitoring resistance training. *Journal of Human Kinetics*, 74, 23 to 42.
- Hickson, R. C. (1980). Interference of strength development by simultaneously training for strength and endurance. *European Journal of Applied Physiology and Occupational Physiology*, 45(2 to 3), 255 to 263.
- Hough, P. A., Ross, E. Z., & Howatson, G. (2013). Effects of dynamic and static stretching on vertical jump performance and electromyographic activity. *Journal of Strength and Conditioning Research*, 23(2), 507 to 512.
- Kellmann, M. (2010). Preventing overtraining in athletes in high-intensity sports and stress recovery monitoring. *Scandinavian Journal of Medicine and Science in Sports*, 20(Suppl. 2), 95 to 102.
- Kerksick, C. M., Arent, S., Schoenfeld, B. J., Stout, J. R., Campbell, B., Wilborn, C. D., Taylor, L., Kalman, D., Smith Ryan, A. E., Kreider, R. B., Willoughby, D., Arciero, P. J., VanDusseldorp, T. A., Ormsbee, M. J., Wildman, R., Greenwood, M., Ziegenfuss, T. N., Aragon, A. A., & Antonio, J. (2017). International Society of Sports Nutrition position stand: Nutrient timing. *Journal of the International Society of Sports Nutrition*, 14, 33.
- Kraemer, W. J., & Ratamess, N. A. (2004). Fundamentals of resistance training: Progression and exercise prescription. *Medicine and Science in Sports and Exercise*, 36(4), 674 to 688.
- Lee, D. C., Pate, R. R., Lavie, C. J., Sui, X., Church, T. S., & Blair, S. N. (2014). Leisure time running reduces all-cause and cardiovascular mortality risk. *Journal of the American College of Cardiology*, 64(5), 472 to 481.
- Longland, T. M., Oikawa, S. Y., Mitchell, C. J., Devries, M. C., & Phillips, S. M. (2016). Higher compared with lower dietary protein during an energy deficit combined with intense exercise promotes greater lean mass gain and fat mass loss: A randomized trial. *American Journal of Clinical Nutrition*, 103(3), 738 to 746.
- Lorenz, D., & Morrison, S. (2015). Current concepts in periodization of strength and conditioning for the sports physical therapist. *International Journal of Sports Physical Therapy*, 10(6), 734 to 747.
- McGowan, C. J., Pyne, D. B., Thompson, K. G., & Rattray, B. (2015). Warm-up strategies for sport and exercise: Mechanisms and applications. *Sports Medicine*, 45(11), 1523 to 1546.

- Meeusen, R., Duclos, M., Foster, C., Fry, A., Gleeson, M., Nieman, D., Raglin, J., Rietjens, G., Steinacker, J., & Urhausen, A. (2013). Prevention, diagnosis and treatment of the overtraining syndrome: Joint consensus statement of the European College of Sport Science and the American College of Sports Medicine. *European Journal of Sport Science*, 13(1), 1 to 24.
- Miller, T., Mull, S., Aragon, A. A., Krieger, J., & Schoenfeld, B. J. (2013). Resistance training combined with diet decreases body fat while preserving lean mass independent of resting metabolic rate: A randomized trial. *International Journal of Sport Nutrition and Exercise Metabolism*, 28(1), 46 to 54.
- Morton, R. W., Murphy, K. T., McKellar, S. R., Schoenfeld, B. J., Henselmans, M., Helms, E., Aragon, A. A., Devries, M. C., Banfield, L., Krieger, J. W., & Phillips, S. M. (2018). A systematic review, meta-analysis, and meta-regression of the effect of protein supplementation on resistance training-induced gains in muscle mass and strength in healthy adults. *British Journal of Sports Medicine*, 52(6), 376 to 384.
- Myers, J., McAuley, P., Lavie, C. J., Despres, J. P., Arena, R., & Kokkinos, P. (2015). Physical activity and cardiorespiratory fitness as major markers of cardiovascular risk: Their independent and interwoven importance to health status. *Progress in Cardiovascular Diseases*, 57(4), 306 to 314.
- Pearcey, G. E., Bradbury Squires, D. J., Kawamoto, J. E., Drinkwater, E. J., Behm, D. G., & Button, D. C. (2015). Foam rolling for delayed onset muscle soreness and recovery of dynamic performance measures. *Journal of Athletic Training*, 50(1), 5 to 13.
- Piercy, K. L., Troiano, R. P., Ballard, R. M., Carlson, S. A., Fulton, J. E., Galuska, D. A., George, S. M., & Olson, R. D. (2018). The physical activity guidelines for Americans. *JAMA*, 320(19), 2020 to 2028.
- Ralston, G. W., Kilgore, L., Wyatt, F. B., Buchan, D., & Baker, J. S. (2018). Weekly training frequency effects on strength gain: A meta-analysis. *Sports Medicine Open*, 4(1), 36.
- Ratamess, N. A. (2021). *ACSM's foundations of strength training and conditioning* (2nd ed.). Wolters Kluwer.
- Ratamess, N. A., Alvar, B. A., Evetoch, T. K., Housh, T. J., Kibler, W. B., Kraemer, W. J., & Triplett, N. T. (2009). American College of Sports Medicine position stand: Progression models in resistance training for healthy adults. *Medicine and Science in Sports and Exercise*, 41(3), 687 to 708.
- Sawka, M. N., Burke, L. M., Eichner, E. R., Maughan, R. J., Montain, S. J., & Stachenfeld, N. S. (2007). American College of Sports Medicine position stand. Exercise and fluid replacement. *Medicine and Science in Sports and Exercise*, 39(2), 377 to 390.

- Schoenfeld, B. J. (2010). The mechanisms of muscle hypertrophy and their application to resistance training. *Journal of Strength and Conditioning Research*, 24(10), 2857 to 2872.
- Schoenfeld, B. J., & Aragon, A. A. (2018). How much protein can the body use in a single meal for muscle building? Implications for daily protein distribution. *Journal of the International Society of Sports Nutrition*, 15, 10.
- Schoenfeld, B. J., Aragon, A. A., & Krieger, J. W. (2013). The effect of protein timing on muscle strength and hypertrophy: A meta-analysis. *Journal of the International Society of Sports Nutrition*, 10(1), 53.
- Schoenfeld, B. J., & Contreras, B. (2013). Is postexercise muscle soreness a valid indicator of muscular adaptations? *Strength and Conditioning Journal*, 35(5), 16 to 21.
- Schoenfeld, B. J., Grgic, J., Ogborn, D., & Krieger, J. W. (2017). Strength and hypertrophy adaptations between low versus high load resistance training: A systematic review and meta-analysis. *Journal of Strength and Conditioning Research*, 31(12), 3508 to 3523.
- Schoenfeld, B. J., Grgic, J., & Krieger, J. (2019). How many times per week should a muscle be trained to maximize muscle hypertrophy? A systematic review and meta-analysis of studies examining the effects of resistance training frequency. *Journal of Sports Sciences*, 37(11), 1286 to 1295.
- Schoenfeld, B. J., Ogborn, D., & Krieger, J. W. (2016). Effects of resistance training frequency on measures of muscle hypertrophy: A systematic review and meta-analysis. *Sports Medicine*, 46(11), 1689 to 1697.
- Simic, L., Sarabon, N., & Markovic, G. (2013). Does pre-exercise static stretching inhibit maximal muscular performance? A meta-analytical review. *Scandinavian Journal of Medicine and Science in Sports*, 23(2), 131 to 148.
- Stiegler, P., & Cunliffe, A. (2006). The role of diet and exercise for the maintenance of fat-free mass and resting metabolic rate during weight loss. *Sports Medicine*, 36(3), 239 to 262.
- Takahashi, T., Okada, A., Saitoh, T., Hayano, J., & Miyamoto, Y. (2015). Difference in human cardiovascular response between upright and supine recovery from upright cycle exercise. *European Journal of Applied Physiology*, 115(3), 233 to 239.
- Taylor, J. L., Amann, M., Duchateau, J., Meeusen, R., & Rice, C. L. (2016). Neural contributions to muscle fatigue: From the brain to the muscle and back again. *Medicine and Science in Sports and Exercise*, 48(11), 2294 to 2306.

- Thomas, D. T., Erdman, K. A., & Burke, L. M. (2016). American College of Sports Medicine joint position statement. Nutrition and athletic performance. *Medicine and Science in Sports and Exercise*, 48(3), 543 to 568.
- Van Hooren, B., & Peake, J. M. (2018). Do we need a cool down after exercise? A narrative review of the psychophysiological effects and the effects on performance, injuries and the long-term adaptive response. *Sports Medicine*, 48(7), 1575 to 1595.
- Weston, K. S., Wisløff, U., & Coombes, J. S. (2014). High intensity interval training in patients with lifestyle induced cardiometabolic disease: A systematic review and meta-analysis. *British Journal of Sports Medicine*, 48(16), 1227 to 1234.
- Williams, T. D., Toluoso, D. V., Fedewa, M. V., & Esco, M. R. (2017). Comparison of periodized and non-periodized resistance training on maximal strength: A meta-analysis. *Sports Medicine*, 47(10), 2083 to 2100.
- Wilson, J. M., Marin, P. J., Rhea, M. R., Wilson, S. M., Loenneke, J. P., & Anderson, J. C. (2012). Concurrent training: A meta-analysis examining interference of aerobic and resistance exercises. *Journal of Strength and Conditioning Research*, 26(8), 2293 to 2307.
- World Health Organization. (2020). WHO guidelines on physical activity and sedentary behaviour. World Health Organization.