

References

- American Diabetes Association. (2023). Standards of medical care in diabetes 2023. *Diabetes Care*, 46(Suppl. 1), S1 to S291.
- Anderson, L., Thompson, D. R., Oldridge, N., Zwisler, A. D., Rees, K., Martin, N., & Taylor, R. S. (2016). Exercise based cardiac rehabilitation for coronary heart disease. *Cochrane Database of Systematic Reviews*, (1), CD001800.
- Arem, H., Moore, S. C., Patel, A., Hartge, P., Berrington de Gonzalez, A., Visvanathan, K., Campbell, P. T., Freedman, M., Weiderpass, E., Adami, H. O., Linet, M. S., Lee, I. M., & Matthews, C. E. (2015). Leisure time physical activity and mortality: A detailed pooled analysis of the dose response relationship. *JAMA Internal Medicine*, 175(6), 959 to 967.
- Aristizabal, J. C., Freidenreich, D. J., Volk, B. M., Kupchak, B. R., Saenz, C., Maresh, C. M., Kraemer, W. J., & Volek, J. S. (2015). Effect of resistance training on resting metabolic rate and its estimation by a dual energy X ray absorptiometry metabolic map. *European Journal of Clinical Nutrition*, 69(7), 831 to 836.
- Arnett, D. K., Blumenthal, R. S., Albert, M. A., Buroker, A. B., Goldberger, Z. D., Hahn, E. J., Himmelfarb, C. D., Khera, A., Lloyd Jones, D., McEvoy, J. W., Michos, E. D., Miedema, M. D., Muñoz, D., Smith, S. C., Virani, S. S., Williams, K. A., Yeboah, J., & Ziaeian, B. (2019). 2019 ACC/AHA guideline on the primary prevention of cardiovascular disease. *Journal of the American College of Cardiology*, 74(10), e177 to e232.
- Bauer, J., Biolo, G., Cederholm, T., Cesari, M., Cruz Jentoft, A. J., Morley, J. E., Phillips, S., Sieber, C., Stehle, P., Teta, D., Visvanathan, R., Volpi, E., & Boirie, Y. (2013). Evidence based recommendations for optimal dietary protein intake in older people: A position paper from the PROT AGE study group. *Journal of the American Medical Directors Association*, 14(8), 542 to 559.
- Beaudart, C., Zaaria, M., Pasleau, F., Reginster, J. Y., & Bruyère, O. (2017). Health outcomes of sarcopenia: A systematic review and meta analysis. *PLOS ONE*, 12(1), e0169548.
- Cawthon, P. M., Manini, T., Patel, S. M., Newman, A., Trivison, T., Kiel, D. P., Santanasto, A. J., Ensrud, K. E., Xue, Q. L., Shardell, M., Duchowny, K., Erlandson, K. M., Pencina, K. M., Fielding, R. A., Magaziner, J., Kwok, T., Karlsson, M., Ohlsson, C., Mellström, D., ... Bhasin, S. (2020). Putative cut points for sarcopenia components and incident adverse health outcomes. *Journal of the American Geriatrics Society*, 68(7), 1429 to 1437.

- Chung, N., Park, M. Y., Kim, J., Park, H. Y., Hwang, H., Lee, C. H., Han, J. S., So, J., Park, J., & Lim, K. (2018). Non exercise activity thermogenesis (NEAT): A component of total daily energy expenditure. *Journal of Exercise Nutrition and Biochemistry*, 22(2), 23 to 30.
- Churchward Venne, T. A., Tieland, M., Verdijk, L. B., Leenders, M., Dirks, M. L., de Groot, L. C., & van Loon, L. J. (2014). There are no nonresponders to resistance type exercise training in older men and women. *Journal of the American Medical Directors Association*, 16(5), 400 to 411.
- Clark, B. C., & Manini, T. M. (2008). Sarcopenia and dynapenia. *Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 63(8), 829 to 834.
- Colberg, S. R., Sigal, R. J., Yardley, J. E., Riddell, M. C., Dunstan, D. W., Dempsey, P. C., Horton, E. S., Castorino, K., & Tate, D. F. (2016). Physical activity/exercise and diabetes: A position statement of the American Diabetes Association. *Diabetes Care*, 39(11), 2065 to 2079.
- Colcombe, S., & Kramer, A. F. (2003). Fitness effects on the cognitive function of older adults: A meta analytic study. *Psychological Science*, 14(2), 125 to 130.
- Cornelissen, V. A., & Smart, N. A. (2013). Exercise training for blood pressure: A systematic review and meta analysis. *Journal of the American Heart Association*, 2(1), e004473.
- Cotman, C. W., Berchtold, N. C., & Christie, L. A. (2007). Exercise builds brain health: Key roles of growth factor cascades and inflammation. *Trends in Neurosciences*, 30(9), 464 to 472.
- Cruz Jentoft, A. J., Bahat, G., Bauer, J., Boirie, Y., Bruyère, O., Cederholm, T., Cooper, C., Landi, F., Rolland, Y., Sayer, A. A., Schneider, S. M., Sieber, C. C., Topinkova, E., Vandewoude, M., Visser, M., Zamboni, M., & Writing Group for the European Working Group on Sarcopenia in Older People 2. (2019). Sarcopenia: Revised European consensus on definition and diagnosis. *Age and Ageing*, 48(1), 16 to 31.
- Diabetes Prevention Program Research Group. (2015). Long term effects of lifestyle intervention or metformin on diabetes development and microvascular complications over 15 year follow up. *The Lancet Diabetes and Endocrinology*, 3(11), 866 to 875.
- Ding, D., Lawson, K. D., Kolbe Alexander, T. L., Finkelstein, E. A., Katzmarzyk, P. T., van Mechelen, W., & Pratt, M. (2016). The economic burden of physical inactivity: A global analysis of major non communicable diseases. *The Lancet*, 388(10051), 1311 to 1324.

- Donnelly, J. E., Blair, S. N., Jakicic, J. M., Manore, M. M., Rankin, J. W., & Smith, B. K. (2009). American College of Sports Medicine position stand. Appropriate physical activity intervention strategies for weight loss and prevention of weight regain for adults. *Medicine and Science in Sports and Exercise*, 41(2), 459 to 471.
- Donnelly, J. E., Hillman, C. H., Castelli, D., Etnier, J. L., Lee, S., Tomporowski, P., Lambourne, K., & Szabo Reed, A. N. (2016). Physical activity, fitness, cognitive function, and academic achievement in children. *Medicine and Science in Sports and Exercise*, 48(6), 1197 to 1222.
- Dorling, J., Broom, D. R., Burns, S. F., Clayton, D. J., Deighton, K., James, L. J., King, J. A., Miyashita, M., Thackray, A. E., Batterham, R. L., & Stensel, D. J. (2018). Acute and chronic effects of exercise on appetite, energy intake, and appetite related hormones. *Nutrients*, 10(9), 1140.
- Egan, B., & Zierath, J. R. (2013). Exercise metabolism and the molecular regulation of skeletal muscle adaptation. *Cell Metabolism*, 17(2), 162 to 184.
- Ekelund, U., Brown, W. J., Steene Johannessen, J., Fagerland, M. W., Owen, N., Powell, K. E., Bauman, A. E., & Lee, I. M. (2019). Do the associations of sedentary behaviour with cardiovascular disease mortality and cancer mortality differ by physical activity level? *British Journal of Sports Medicine*, 53(14), 886 to 894.
- Ekelund, U., Steene Johannessen, J., Brown, W. J., Fagerland, M. W., Owen, N., Powell, K. E., Bauman, A., & Lee, I. M. (2016). Does physical activity attenuate, or even eliminate, the detrimental association of sitting time with mortality? A harmonised meta analysis of data from more than 1 million men and women. *The Lancet*, 388(10051), 1302 to 1310.
- Erickson, K. I., Hillman, C., Stillman, C. M., Ballard, R. M., Bloodgood, B., Conroy, D. E., Macko, R., Marquez, D. X., Petruzzello, S. J., & Powell, K. E. (2019). Physical activity, cognition, and brain outcomes: A review of the 2018 Physical Activity Guidelines. *Medicine and Science in Sports and Exercise*, 51(6), 1242 to 1251.
- Erickson, K. I., Voss, M. W., Prakash, R. S., Basak, C., Szabo, A., Chaddock, L., Kim, J. S., Heo, S., Alves, H., White, S. M., Wojcicki, T. R., Mailey, E., Vieira, V. J., Martin, S. A., Pence, B. D., Woods, J. A., McAuley, E., & Kramer, A. F. (2011). Exercise training increases size of hippocampus and improves memory. *Proceedings of the National Academy of Sciences*, 108(7), 3017 to 3022.
- Fiuza Luces, C., Garatachea, N., Berger, N. A., & Lucia, A. (2013). Exercise is the real polypill. *Physiology*, 28(5), 330 to 358.

- Fiuza Luces, C., Santos Lozano, A., Joyner, M., Carrera Bastos, P., Picazo, O., Zugaza, J. L., Izquierdo, M., Ruilope, L. M., & Lucia, A. (2018). Exercise benefits in cardiovascular disease: Beyond attenuation of traditional risk factors. *Nature Reviews Cardiology*, 15(12), 731 to 743.
- Gaesser, G. A., Angadi, S. S., & Sawyer, B. J. (2015). Exercise and diet, independent of weight loss, improve cardiometabolic risk profile in overweight and obese individuals. *Physician and Sportsmedicine*, 39(2), 87 to 97.
- Green, D. J., Hopman, M. T., Padilla, J., Laughlin, M. H., & Thijssen, D. H. (2017). Vascular adaptation to exercise in humans: Role of hemodynamic stimuli. *Physiological Reviews*, 97(2), 495 to 528.
- Hall, K. D., Farooqi, I. S., Friedman, J. M., Klein, S., Loos, R. J. F., Mangelsdorf, D. J., O'Rahilly, S., Ravussin, E., Redman, L. M., Ryan, D. H., Speakman, J. R., & Tobias, D. K. (2022). The energy balance model of obesity: Beyond calories in, calories out. *American Journal of Clinical Nutrition*, 115(5), 1243 to 1254.
- Hamer, M., & Chida, Y. (2009). Physical activity and risk of neurodegenerative disease: A systematic review of prospective evidence. *Psychological Medicine*, 39(1), 3 to 11.
- Hawley, J. A., & Lessard, S. J. (2008). Exercise training induced improvements in insulin action. *Acta Physiologica*, 192(1), 127 to 135.
- Hillman, C. H., Erickson, K. I., & Kramer, A. F. (2008). Be smart, exercise your heart: Exercise effects on brain and cognition. *Nature Reviews Neuroscience*, 9(1), 58 to 65.
- Howe, T. E., Shea, B., Dawson, L. J., Downie, F., Murray, A., Ross, C., Harbour, R. T., Caldwell, L. M., & Creed, G. (2011). Exercise for preventing and treating osteoporosis in postmenopausal women. *Cochrane Database of Systematic Reviews*, (7), CD000333.
- International Diabetes Federation. (2021). *IDF Diabetes Atlas* (10th ed.). International Diabetes Federation.
- Jakicic, J. M., Rogers, R. J., Davis, K. K., & Collins, K. A. (2019). Role of physical activity and exercise in treating patients with overweight and obesity. *Clinical Chemistry*, 64(1), 99 to 107.
- Kelley, G. A., & Kelley, K. S. (2006). Aerobic exercise and HDL2 C: A meta analysis of randomized controlled trials. *Atherosclerosis*, 184(1), 207 to 215.
- Knowler, W. C., Barrett Connor, E., Fowler, S. E., Hamman, R. F., Lachin, J. M., Walker, E. A., & Nathan, D. M. (2002). Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. *New England Journal of Medicine*, 346(6), 393 to 403.

- LaForgia, J., Withers, R. T., & Gore, C. J. (2006). Effects of exercise intensity and duration on the excess post exercise oxygen consumption. *Journal of Sports Sciences*, 24(12), 1247 to 1264.
- Lee, I. M., Shiroma, E. J., Lobelo, F., Puska, P., Blair, S. N., & Katzmarzyk, P. T. (2012). Effect of physical inactivity on major non communicable diseases worldwide: An analysis of burden of disease and life expectancy. *The Lancet*, 380(9838), 219 to 229.
- Levine, B. D. (2008). VO₂max: What do we know, and what do we still need to know? *Journal of Physiology*, 586(1), 25 to 34.
- Levine, J. A. (2002). Non exercise activity thermogenesis (NEAT). *Best Practice and Research Clinical Endocrinology and Metabolism*, 16(4), 679 to 702.
- Lindström, J., Ilanne Parikka, P., Peltonen, M., Aunola, S., Eriksson, J. G., Hemiö, K., Hämäläinen, H., Härkönen, P., Keinänen Kiukaanniemi, S., Laakso, M., Louheranta, A., Mannelin, M., Paturi, M., Sundvall, J., Valle, T. T., Uusitupa, M., & Tuomilehto, J. (2006). Sustained reduction in the incidence of type 2 diabetes by lifestyle intervention: Follow up of the Finnish Diabetes Prevention Study. *The Lancet*, 368(9548), 1673 to 1679.
- Livingston, G., Huntley, J., Sommerlad, A., Ames, D., Ballard, C., Banerjee, S., Brayne, C., Burns, A., Cohen Mansfield, J., Cooper, C., Costafreda, S. G., Dias, A., Fox, N., Gitlin, L. N., Howard, R., Kales, H. C., Kivimäki, M., Larson, E. B., Ogunniyi, A., ... Mukadam, N. (2020). Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. *The Lancet*, 396(10248), 413 to 446.
- Mann, S., Beedie, C., & Jimenez, A. (2014). Differential effects of aerobic exercise, resistance training and combined exercise modalities on cholesterol and the lipid profile: Review, synthesis and recommendations. *Sports Medicine*, 44(2), 211 to 221.
- Mitchell, W. K., Williams, J., Atherton, P., Larvin, M., Lund, J., & Narici, M. (2012). Sarcopenia, dynapenia, and the impact of advancing age on human skeletal muscle size and strength: A quantitative review. *Frontiers in Physiology*, 3, 260.
- Northey, J. M., Cherbuin, N., Pumpa, K. L., Smee, D. J., & Rattray, B. (2018). Exercise interventions for cognitive function in adults older than 50: A systematic review with meta analysis. *British Journal of Sports Medicine*, 52(3), 154 to 160.
- Pedersen, B. K., & Saltin, B. (2015). Exercise as medicine: Evidence for prescribing exercise as therapy in 26 different chronic diseases. *Scandinavian Journal of Medicine and Science in Sports*, 25(Suppl. 3), 1 to 72.

- Pelliccia, A., Caselli, S., Sharma, S., Basso, C., Bax, J. J., Corrado, D., D'Andrea, A., D'Ascenzi, F., Di Paolo, F. M., Edvardsen, T., Gati, S., Galderisi, M., Heidbuchel, H., Nchimi, A., Nieman, K., Papadakis, M., Pisicchio, C., Schmied, C., Popescu, B. A., ... Lancellotti, P. (2018). European Association of Preventive Cardiology and European Association of Cardiovascular Imaging joint position statement. *European Heart Journal Cardiovascular Imaging*, 19(3), 247 to 255.
- Pescatello, L. S., MacDonald, H. V., Lamberti, L., & Johnson, B. T. (2015). Exercise for hypertension: A prescription update integrating existing recommendations with emerging research. *Current Hypertension Reports*, 17(11), 87.
- Peterson, M. D., Rhea, M. R., Sen, A., & Gordon, P. M. (2010). Resistance exercise for muscular strength in older adults: A meta analysis. *Ageing Research Reviews*, 9(3), 226 to 237.
- Piercy, K. L., Troiano, R. P., Ballard, R. M., Carlson, S. A., Fulton, J. E., Galuska, D. A., George, S. M., & Olson, R. D. (2018). The physical activity guidelines for Americans. *JAMA*, 320(19), 2020 to 2028.
- Rebar, A. L., Stanton, R., Geard, D., Short, C., Duncan, M. J., & Vandelanotte, C. (2015). A meta meta analysis of the effect of physical activity on depression and anxiety in non clinical adult populations. *Health Psychology Review*, 9(3), 366 to 378.
- Richter, E. A., & Hargreaves, M. (2013). Exercise, GLUT4, and skeletal muscle glucose uptake. *Physiological Reviews*, 93(3), 993 to 1017.
- Ross, R., Hudson, R., Stotz, P. J., & Lam, M. (2015). Effects of exercise amount and intensity on abdominal obesity and glucose tolerance in obese adults. *Annals of Internal Medicine*, 162(5), 325 to 334.
- Schuch, F. B., Vancampfort, D., Richards, J., Rosenbaum, S., Ward, P. B., & Stubbs, B. (2016). Exercise as a treatment for depression: A meta analysis adjusting for publication bias. *Journal of Psychiatric Research*, 77, 42 to 51.
- Schwingshackl, L., Dias, S., Strasser, B., & Hoffmann, G. (2013). Impact of different training modalities on anthropometric and metabolic characteristics in overweight/obese subjects: A systematic review and network meta analysis. *PLOS ONE*, 8(12), e82853.
- Sherrington, C., Fairhall, N. J., Wallbank, G. K., Tiedemann, A., Michaleff, Z. A., Howard, K., Clemson, L., Hopewell, S., & Lamb, S. E. (2019). Exercise for preventing falls in older people living in the community. *Cochrane Database of Systematic Reviews*, (1), CD012424.

- Sigal, R. J., Kenny, G. P., Boulé, N. G., Wells, G. A., Prud'homme, D., Fortier, M., Reid, R. D., Tulloch, H., Coyle, D., Phillips, P., Jennings, A., & Jaffey, J. (2007). Effects of aerobic training, resistance training, or both on glycemic control in type 2 diabetes. *Annals of Internal Medicine*, 147(6), 357 to 369.
- Smith, J. C., Nielson, K. A., Antuono, P., Lyons, J. A., Hanson, R. J., Butts, A. M., Hantke, N. C., & Verber, M. D. (2010). Semantic memory functional MRI and cognitive function after exercise intervention in mild cognitive impairment. *Journal of Alzheimer's Disease*, 37(1), 197 to 215.
- Spiegel, K., Leproult, R., & Van Cauter, E. (1999). Impact of sleep debt on metabolic and endocrine function. *The Lancet*, 354(9188), 1435 to 1439.
- Stamatakis, E., Gale, J., Bauman, A., Ekelund, U., Hamer, M., & Ding, D. (2019). Sitting time, physical activity, and risk of mortality in adults. *Journal of the American College of Cardiology*, 73(16), 2062 to 2072.
- Stensel, D. (2010). Exercise, appetite and appetite regulating hormones: Implications for food intake and weight control. *Annals of Nutrition and Metabolism*, 57(Suppl. 2), 36 to 42.
- Stubbs, B., Vancampfort, D., Rosenbaum, S., Firth, J., Cosco, T., Veronese, N., Salum, G. A., & Schuch, F. B. (2017). An examination of the anxiolytic effects of exercise for people with anxiety and stress related disorders: A meta analysis. *Psychiatry Research*, 249, 102 to 108.
- Swift, D. L., Johannsen, N. M., Lavie, C. J., Earnest, C. P., & Church, T. S. (2014). The role of exercise and physical activity in weight loss and maintenance. *Progress in Cardiovascular Diseases*, 56(4), 441 to 447.
- Swinburn, B. A., Sacks, G., Hall, K. D., McPherson, K., Finegood, D. T., Moodie, M. L., & Gortmaker, S. L. (2011). The global obesity pandemic: Shaped by global drivers and local environments. *The Lancet*, 378(9793), 804 to 814.
- Sylow, L., Kleinert, M., Richter, E. A., & Jensen, T. E. (2017). Exercise stimulated glucose uptake: Regulation and implications for glycaemic control. *Nature Reviews Endocrinology*, 13(3), 133 to 148.
- Szuhany, K. L., Bugatti, M., & Otto, M. W. (2015). A meta analytic review of the effects of exercise on brain derived neurotrophic factor. *Journal of Psychiatric Research*, 60, 56 to 64.
- Umpierre, D., Ribeiro, P. A., Kramer, C. K., Leitão, C. B., Zucatti, A. T., Azevedo, M. J., Gross, J. L., Ribeiro, J. P., & Schaan, B. D. (2011). Physical activity advice only or structured exercise training and association with HbA1c levels in type 2 diabetes. *JAMA*, 305(17), 1790 to 1799.
- Volpi, E., Nazemi, R., & Fujita, S. (2004). Muscle tissue changes with aging. *Current Opinion in Clinical Nutrition and Metabolic Care*, 7(4), 405 to 410.

- Voss, M. W., Vivar, C., Kramer, A. F., & van Praag, H. (2013). Bridging animal and human models of exercise induced brain plasticity. *Trends in Cognitive Sciences*, 17(10), 525 to 544.
- Warburton, D. E. R., & Bredin, S. S. D. (2017). Health benefits of physical activity: A systematic review of current systematic reviews. *Current Opinion in Cardiology*, 32(5), 541 to 556.
- Warren, T. Y., Barry, V., Hooker, S. P., Sui, X., Church, T. S., & Blair, S. N. (2010). Sedentary behaviors increase risk of cardiovascular disease mortality in men. *Medicine and Science in Sports and Exercise*, 42(5), 879 to 885.
- Watson, S. L., Weeks, B. K., Weis, L. J., Harding, A. T., Horan, S. A., & Beck, B. R. (2018). High intensity resistance and impact training improves bone mineral density and physical function in postmenopausal women with osteopenia and osteoporosis. *Journal of Bone and Mineral Research*, 33(2), 211 to 220.
- Weiner, R. B., & Baggish, A. L. (2012). Exercise induced cardiac remodeling. *Progress in Cardiovascular Diseases*, 54(5), 380 to 386.
- Willis, L. H., Slentz, C. A., Bateman, L. A., Shields, A. T., Piner, L. W., Bales, C. W., Houmard, J. A., & Kraus, W. E. (2012). Effects of aerobic and/or resistance training on body mass and fat mass in overweight or obese adults. *Journal of Applied Physiology*, 113(12), 1831 to 1837.
- World Health Organization. (2020). WHO guidelines on physical activity and sedentary behaviour. World Health Organization.
- World Health Organization. (2021). Obesity and overweight factsheet. World Health Organization.
- World Health Organization. (2023). Non communicable diseases factsheet. World Health Organization.
- Zheng, Y., Ley, S. H., & Hu, F. B. (2018). Global aetiology and epidemiology of type 2 diabetes mellitus and its complications. *Nature Reviews Endocrinology*, 14(2), 88 to 98.