

## References

- Aasa, U., Svartholm, I., Andersson, F., & Berglund, L. (2017). Injuries among weightlifters and powerlifters: A systematic review. *British Journal of Sports Medicine*, 51(4), 211 to 219.
- American College of Sports Medicine. (2018). *ACSM's guidelines for exercise testing and prescription* (10th ed.). Wolters Kluwer.
- Aristizabal, J. C., Freidenreich, D. J., Volk, B. M., Kupchak, B. R., Saenz, C., Maresh, C. M., Kraemer, W. J., & Volek, J. S. (2015). Effect of resistance training on resting metabolic rate and its estimation by a dual energy X ray absorptiometry metabolic map. *European Journal of Clinical Nutrition*, 69(7), 831 to 836.
- Bannuru, R. R., Osani, M. C., Vaysbrot, E. E., Arden, N. K., Bennell, K., Bierma Zeinstra, S. M. A., Kraus, V. B., Lohmander, L. S., Abbott, J. H., Bhandari, M., Blanco, F. J., Espinosa, R., Haugen, I. K., Lin, J., Mandl, L. A., Moilanen, E., Nakamura, N., Snyder Mackler, L., Trojian, T., ... McAlindon, T. E. (2019). OARSI guidelines for the non surgical management of knee, hip, and polyarticular osteoarthritis. *Osteoarthritis and Cartilage*, 27(11), 1578 to 1589.
- Bauer, J., Biolo, G., Cederholm, T., Cesari, M., Cruz Jentoft, A. J., Morley, J. E., Phillips, S., Sieber, C., Stehle, P., Teta, D., Visvanathan, R., Volpi, E., & Boirie, Y. (2013). Evidence based recommendations for optimal dietary protein intake in older people. *Journal of the American Medical Directors Association*, 14(8), 542 to 559.
- Beaudart, C., Zaaria, M., Pasleau, F., Reginster, J. Y., & Bruyère, O. (2017). Health outcomes of sarcopenia: A systematic review and meta analysis. *PLOS ONE*, 12(1), e0169548.
- Beck, B. R., Daly, R. M., Singh, M. A. F., & Taaffe, D. R. (2017). Exercise and Sports Science Australia (ESSA) position statement on exercise prescription for the prevention and management of osteoporosis. *Journal of Science and Medicine in Sport*, 20(5), 438 to 445.
- Behringer, M., Vom Heede, A., Yue, Z., & Mester, J. (2010). Effects of resistance training in children and adolescents: A meta analysis. *Pediatrics*, 126(5), e1199 to e1210.
- Berin, E., Hammar, M., Lindblom, H., Lindh Åstrand, L., Rubér, M., & Spetz Holm, A. C. (2019). Resistance training for hot flushes in postmenopausal women: A randomised controlled trial. *Maturitas*, 126, 55 to 60.
-

- Bull, F. C., Al Ansari, S. S., Biddle, S., Borodulin, K., Buman, M. P., Cardon, G., Carty, C., Chaput, J. P., Chastin, S., Chou, R., Dempsey, P. C., DiPietro, L., Ekelund, U., Firth, J., Friedenreich, C. M., Garcia, L., Gichu, M., Jago, R., Katzmarzyk, P. T., ... Willumsen, J. F. (2020). World Health Organization 2020 guidelines on physical activity and sedentary behaviour. *British Journal of Sports Medicine*, 54(24), 1451 to 1462.
- Calatayud, J., Borreani, S., Colado, J. C., Martin, F., Tella, V., & Andersen, L. L. (2015). Bench press and push up at comparable levels of muscle activity results in similar strength gains. *Journal of Strength and Conditioning Research*, 29(1), 246 to 253.
- Celis Morales, C. A., Welsh, P., Lyall, D. M., Steell, L., Petermann, F., Anderson, J., Iliodromiti, S., Sillars, A., Graham, N., Mackay, D. F., Pell, J. P., Gill, J. M. R., Sattar, N., & Gray, S. R. (2018). Associations of grip strength with cardiovascular, respiratory, and cancer outcomes and all cause mortality: Prospective cohort study of half a million UK Biobank participants. *BMJ*, 361, k1651.
- Cruz Jentoft, A. J., Bahat, G., Bauer, J., Boirie, Y., Bruyère, O., Cederholm, T., Cooper, C., Landi, F., Rolland, Y., Sayer, A. A., Schneider, S. M., Sieber, C. C., Topinkova, E., Vandewoude, M., Visser, M., Zamboni, M., & Writing Group for the European Working Group on Sarcopenia in Older People 2. (2019). Sarcopenia: Revised European consensus on definition and diagnosis. *Age and Ageing*, 48(1), 16 to 31.
- Damas, F., Libardi, C. A., & Ugrinowitsch, C. (2018). The development of skeletal muscle hypertrophy through resistance training: The role of muscle damage and muscle protein synthesis. *European Journal of Applied Physiology*, 118(3), 485 to 500.
- de Salles, B. F., Simão, R., Miranda, F., Novaes, J. S., Lemos, A., & Willardson, J. M. (2009). Rest interval between sets in strength training. *Sports Medicine*, 39(9), 765 to 777.
- Douglas, J., Pearson, S., Ross, A., & McGuigan, M. (2017). Chronic adaptations to eccentric training: A systematic review. *Sports Medicine*, 47(5), 917 to 941.
- Faigenbaum, A. D., Kraemer, W. J., Blimkie, C. J., Jeffreys, I., Micheli, L. J., Nitka, M., & Rowland, T. W. (2009). Youth resistance training: Updated position statement paper from the National Strength and Conditioning Association. *Journal of Strength and Conditioning Research*, 23(5 Suppl), S60 to S79.
- Faigenbaum, A. D., Lloyd, R. S., MacDonald, J., & Myer, G. D. (2014). Citius, altius, fortius: Beneficial effects of resistance training for young athletes. *British Journal of Sports Medicine*, 50(1), 3 to 7.

- Fiatarone, M. A., Marks, E. C., Ryan, N. D., Meredith, C. N., Lipsitz, L. A., & Evans, W. J. (1990). High intensity strength training in nonagenarians: Effects on skeletal muscle. *JAMA*, 263(22), 3029 to 3034.
- Fiatarone, M. A., O'Neill, E. F., Ryan, N. D., Clements, K. M., Solares, G. R., Nelson, M. E., Roberts, S. B., Kehayias, J. J., Lipsitz, L. A., & Evans, W. J. (1994). Exercise training and nutritional supplementation for physical frailty in very elderly people. *New England Journal of Medicine*, 330(25), 1769 to 1775.
- Folland, J. P., & Williams, A. G. (2007). The adaptations to strength training: Morphological and neurological contributions to increased strength. *Sports Medicine*, 37(2), 145 to 168.
- Fragala, M. S., Cadore, E. L., Dorgo, S., Izquierdo, M., Kraemer, W. J., Peterson, M. D., & Ryan, E. D. (2019). Resistance training for older adults: Position statement from the National Strength and Conditioning Association. *Journal of Strength and Conditioning Research*, 33(8), 2019 to 2052.
- Garber, C. E., Blissmer, B., Deschenes, M. R., Franklin, B. A., Lamonte, M. J., Lee, I. M., Nieman, D. C., & Swain, D. P. (2011). Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults. *Medicine and Science in Sports and Exercise*, 43(7), 1334 to 1359.
- Gordon, B. R., McDowell, C. P., Hallgren, M., Meyer, J. D., Lyons, M., & Herring, M. P. (2018). Association of efficacy of resistance exercise training with depressive symptoms: Meta analysis and meta regression analysis of randomized clinical trials. *JAMA Psychiatry*, 75(6), 566 to 576.
- Gordon, B. R., McDowell, C. P., Lyons, M., & Herring, M. P. (2017). The effects of resistance exercise training on anxiety: A meta analysis and meta regression analysis of randomized controlled trials. *Sports Medicine*, 47(12), 2521 to 2532.
- Grgic, J., Lazinica, B., Mikulic, P., Krieger, J. W., & Schoenfeld, B. J. (2018). The effects of short versus long inter set rest intervals in resistance training on measures of muscle hypertrophy: A systematic review. *European Journal of Sport Science*, 17(8), 983 to 993.
- Haff, G. G., & Triplett, N. T. (Eds.). (2016). *Essentials of strength training and conditioning* (4th ed.). Human Kinetics.
- Hody, S., Croisier, J. L., Bury, T., Rogister, B., & Leprince, P. (2019). Eccentric muscle contractions: Risks and benefits. *Frontiers in Physiology*, 10, 536.

- Howe, T. E., Shea, B., Dawson, L. J., Downie, F., Murray, A., Ross, C., Harbour, R. T., Caldwell, L. M., & Creed, G. (2011). Exercise for preventing and treating osteoporosis in postmenopausal women. *Cochrane Database of Systematic Reviews*, (7), CD000333.
- Hubal, M. J., Gordish Dressman, H., Thompson, P. D., Price, T. B., Hoffman, E. P., Angelopoulos, T. J., Gordon, P. M., Moyna, N. M., Pescatello, L. S., Visich, P. S., Zoeller, R. F., Seip, R. L., & Clarkson, P. M. (2005). Variability in muscle size and strength gain after unilateral resistance training. *Medicine and Science in Sports and Exercise*, 37(6), 964 to 972.
- Hunter, S. K. (2014). Sex differences in human fatigability: Mechanisms and insight to physiological responses. *Acta Physiologica*, 210(4), 768 to 789.
- Hurley, B. F., Hanson, E. D., & Sheaff, A. K. (2011). Strength training as a countermeasure to aging muscle and chronic disease. *Sports Medicine*, 41(4), 289 to 306.
- Isenmann, E., Kaluza, D., Havers, T., Elbeshausen, A., Geisler, S., Hofmann, K., Flenker, U., Diel, P., & Gavanda, S. (2023). Resistance training alters body composition in middle aged women depending on menopause. *Frontiers in Physiology*, 14, 1213286.
- Jelenkovic, A., Sund, R., Hur, Y. M., Yokoyama, Y., Hjelmberg, J. V., Möller, S., Honda, C., Magnusson, P. K., Pedersen, N. L., Ooki, S., Aaltonen, S., Stazi, M. A., Fagnani, C., D'Ippolito, C., Freitas, D. L., Maia, J. A., Ji, F., Ning, F., Pang, Z., ... Silventoinen, K. (2016). Genetic and environmental influences on height from infancy to early adulthood. *Scientific Reports*, 6, 28496.
- Junior, R. M., Berton, R., de Souza, T. M., Chacon Mikahil, M. P., & Cavaglieri, C. R. (2017). Effect of the flexibility training performed immediately before resistance training on muscle hypertrophy, maximum strength and flexibility. *European Journal of Applied Physiology*, 117(4), 767 to 774.
- Katzmarzyk, P. T., Friedenreich, C., Shiroma, E. J., & Lee, I. M. (2022). Physical inactivity and non communicable disease burden in low income, middle income and high income countries. *British Journal of Sports Medicine*, 56(2), 101 to 106.
- Kemmler, W., Häberle, L., & von Stengel, S. (2013). Effects of exercise on fracture reduction in older adults: A systematic review and meta analysis. *Osteoporosis International*, 24(7), 1937 to 1950.
- Keogh, J. W. L., & Winwood, P. W. (2017). The epidemiology of injuries across the weight training sports. *Sports Medicine*, 47(3), 479 to 501.

- Kolasinski, S. L., Neogi, T., Hochberg, M. C., Oatis, C., Guyatt, G., Block, J., Callahan, L., Copenhaver, C., Dodge, C., Felson, D., Gellar, K., Harvey, W. F., Hawker, G., Herzig, E., Kwoh, C. K., Nelson, A. E., Samuels, J., Scanzello, C., White, D., ... Reston, J. (2020). 2019 American College of Rheumatology guideline for the management of osteoarthritis of the hand, hip, and knee. *Arthritis & Rheumatology*, 72(2), 220 to 233.
- Kraemer, W. J., & Ratamess, N. A. (2004). Fundamentals of resistance training: Progression and exercise prescription. *Medicine and Science in Sports and Exercise*, 36(4), 674 to 688.
- Krzysztofik, M., Wilk, M., Wojdała, G., & Gołaś, A. (2019). Maximizing muscle hypertrophy: A systematic review of advanced resistance training techniques and methods. *International Journal of Environmental Research and Public Health*, 16(24), 4897.
- Lasevicius, T., Ugrinowitsch, C., Schoenfeld, B. J., Roschel, H., Tavares, L. D., De Souza, E. O., Laurentino, G., & Tricoli, V. (2018). Effects of different intensities of resistance training with equated volume load on muscle strength and hypertrophy. *European Journal of Sport Science*, 18(6), 772 to 780.
- Lauersen, J. B., Bertelsen, D. M., & Andersen, L. B. (2014). The effectiveness of exercise interventions to prevent sports injuries: A systematic review and meta analysis of randomised controlled trials. *British Journal of Sports Medicine*, 48(11), 871 to 877.
- Leong, D. P., Teo, K. K., Rangarajan, S., Lopez Jaramillo, P., Avezum, A., Orlandini, A., Seron, P., Ahmed, S. H., Rosengren, A., Kelishadi, R., Rahman, O., Swaminathan, S., Iqbal, R., Gupta, R., Lear, S. A., Oguz, A., Yusuf, K., Zatonska, K., Chifamba, J., ... Yusuf, S. (2015). Prognostic value of grip strength: Findings from the Prospective Urban Rural Epidemiology (PURE) study. *The Lancet*, 386(9990), 266 to 273.
- Lesinski, M., Prieske, O., & Granacher, U. (2016). Effects and dose response relationships of resistance training on physical performance in youth athletes: A systematic review and meta analysis. *British Journal of Sports Medicine*, 50(13), 781 to 795.
- Lloyd, R. S., Faigenbaum, A. D., Stone, M. H., Oliver, J. L., Jeffreys, I., Moody, J. A., Brewer, C., Pierce, K. C., McCambridge, T. M., Howard, R., Herrington, L., Hainline, B., Micheli, L. J., Jaques, R., Kraemer, W. J., McBride, M. G., Best, T. M., Chu, D. A., Alvar, B. A., & Myer, G. D. (2014). Position statement on youth resistance training: The 2014 International Consensus. *British Journal of Sports Medicine*, 48(7), 498 to 505.

- Longland, T. M., Oikawa, S. Y., Mitchell, C. J., Devries, M. C., & Phillips, S. M. (2016). Higher compared with lower dietary protein during an energy deficit combined with intense exercise promotes greater lean mass gain and fat mass loss: A randomized trial. *American Journal of Clinical Nutrition*, 103(3), 738 to 746.
- Maltais, M. L., Desroches, J., & Dionne, I. J. (2009). Changes in muscle mass and strength after menopause. *Journal of Musculoskeletal and Neuronal Interactions*, 9(4), 186 to 197.
- Miller, T., Mull, S., Aragon, A. A., Krieger, J., & Schoenfeld, B. J. (2018). Resistance training combined with diet decreases body fat while preserving lean mass independent of resting metabolic rate. *International Journal of Sport Nutrition and Exercise Metabolism*, 28(1), 46 to 54.
- Mitchell, W. K., Williams, J., Atherton, P., Larvin, M., Lund, J., & Narici, M. (2012). Sarcopenia, dynapenia, and the impact of advancing age on human skeletal muscle size and strength: A quantitative review. *Frontiers in Physiology*, 3, 260.
- Morton, R. W., Murphy, K. T., McKellar, S. R., Schoenfeld, B. J., Henselmans, M., Helms, E., Aragon, A. A., Devries, M. C., Banfield, L., Krieger, J. W., & Phillips, S. M. (2018). A systematic review, meta analysis and meta regression of the effect of protein supplementation on resistance training induced gains in muscle mass and strength in healthy adults. *British Journal of Sports Medicine*, 52(6), 376 to 384.
- Morton, S. K., Whitehead, J. R., Brinkert, R. H., & Caine, D. J. (2011). Resistance training vs. static stretching: Effects on flexibility and strength. *Journal of Strength and Conditioning Research*, 25(12), 3391 to 3398.
- Myer, G. D., Quatman, C. E., Khoury, J., Wall, E. J., & Hewett, T. E. (2011). Youth versus adult weightlifting injuries presenting to United States emergency rooms: Accidental versus nonaccidental injury mechanisms. *Journal of Strength and Conditioning Research*, 23(7), 2054 to 2060.
- Peterson, M. D., Sen, A., & Gordon, P. M. (2011). Influence of resistance exercise on lean body mass in aging adults: A meta analysis. *Medicine and Science in Sports and Exercise*, 43(2), 249 to 258.
- Phillips, S. M. (2014). A brief review of critical processes in exercise induced muscular hypertrophy. *Sports Medicine*, 44(Suppl. 1), S71 to S77.
- Piercy, K. L., Troiano, R. P., Ballard, R. M., Carlson, S. A., Fulton, J. E., Galuska, D. A., George, S. M., & Olson, R. D. (2018). The physical activity guidelines for Americans. *JAMA*, 320(19), 2020 to 2028.
- Pontzer, H. (2018). Energy constraint as a novel mechanism linking exercise and health. *Physiology*, 33(6), 384 to 393.

- Ratamess, N. A. (2021). *ACSM's foundations of strength training and conditioning* (2nd ed.). Wolters Kluwer.
- Ratamess, N. A., Alvar, B. A., Evetoch, T. K., Housh, T. J., Kibler, W. B., Kraemer, W. J., & Triplett, N. T. (2009). American College of Sports Medicine position stand: Progression models in resistance training for healthy adults. *Medicine and Science in Sports and Exercise*, 41(3), 687 to 708.
- Roberts, B. M., Nuckols, G., & Krieger, J. W. (2020). Sex differences in resistance training: A systematic review and meta analysis. *Journal of Strength and Conditioning Research*, 34(5), 1448 to 1460.
- Saeidifard, F., Medina Inojosa, J. R., West, C. P., Olson, T. P., Somers, V. K., Bonikowske, A. R., Prokop, L. J., Vinciguerra, M., & Lopez Jimenez, F. (2019). The association of resistance training with mortality: A systematic review and meta analysis. *European Journal of Preventive Cardiology*, 26(15), 1647 to 1665.
- Sale, D. G. (1988). Neural adaptation to resistance training. *Medicine and Science in Sports and Exercise*, 20(5 Suppl), S135 to S145.
- Schoenfeld, B. J. (2010). The mechanisms of muscle hypertrophy and their application to resistance training. *Journal of Strength and Conditioning Research*, 24(10), 2857 to 2872.
- Schoenfeld, B. J., Aragon, A. A., & Krieger, J. W. (2013). The effect of protein timing on muscle strength and hypertrophy: A meta analysis. *Journal of the International Society of Sports Nutrition*, 10(1), 53.
- Schoenfeld, B. J., Grgic, J., & Krieger, J. (2017). How many times per week should a muscle be trained to maximize muscle hypertrophy? A systematic review and meta analysis of studies examining the effects of resistance training frequency. *Journal of Sports Sciences*, 37(11), 1286 to 1295.
- Schoenfeld, B. J., Grgic, J., Van Every, D. W., & Plotkin, D. L. (2021). Loading recommendations for muscle strength, hypertrophy, and local endurance: A re examination of the repetition continuum. *Sports*, 9(2), 32.
- Schoenfeld, B. J., & Grgic, J. (2020). Effects of range of motion on muscle development during resistance training interventions: A systematic review. *SAGE Open Medicine*, 8, 2050312120901559.
- Sherrington, C., Fairhall, N. J., Wallbank, G. K., Tiedemann, A., Michaleff, Z. A., Howard, K., Clemson, L., Hopewell, S., & Lamb, S. E. (2019). Exercise for preventing falls in older people living in the community. *Cochrane Database of Systematic Reviews*, (1), CD012424.
- Sigal, R. J., Kenny, G. P., Boulé, N. G., Wells, G. A., Prud'homme, D., Fortier, M., Reid, R. D., Tulloch, H., Coyle, D., Phillips, P., Jennings, A., & Jaffey, J. (2007). Effects of aerobic training, resistance training, or both on glycemic control in type 2 diabetes. *Annals of Internal Medicine*, 147(6), 357 to 369.

- Silventoinen, K., Sammalisto, S., Perola, M., Boomsma, D. I., Cornes, B. K., Davis, C., Dunkel, L., De Lange, M., Harris, J. R., Hjelmborg, J. V., Luciano, M., Martin, N. G., Mortensen, J., Nisticò, L., Pedersen, N. L., Skytthe, A., Spector, T. D., Stazi, M. A., Willemsen, G., & Kaprio, J. (2003). Heritability of adult body height: A comparative study of twin cohorts in eight countries. *Twin Research*, 6(5), 399 to 408.
- Stamatakis, E., Lee, I. M., Bennie, J., Freeston, J., Hamer, M., O'Donovan, G., Ding, D., Bauman, A., & Mavros, Y. (2018). Does strength promoting exercise confer unique health benefits? A pooled analysis of data on 11 population cohorts. *American Journal of Epidemiology*, 187(5), 1102 to 1112.
- Strasser, B., & Pesta, D. (2013). Resistance training for diabetes prevention and therapy: Experimental findings and molecular mechanisms. *BioMed Research International*, 2013, 805217.
- Stubbs, B., Vancampfort, D., Rosenbaum, S., Firth, J., Cosco, T., Veronese, N., Salum, G. A., & Schuch, F. B. (2017). An examination of the anxiolytic effects of exercise for people with anxiety and stress related disorders: A meta analysis. *Psychiatry Research*, 249, 102 to 108.
- Suchomel, T. J., Nimphius, S., Bellon, C. R., & Stone, M. H. (2018). The importance of muscular strength: Training considerations. *Sports Medicine*, 48(4), 765 to 785.
- Umpierre, D., Ribeiro, P. A., Kramer, C. K., Leitão, C. B., Zucatti, A. T., Azevedo, M. J., Gross, J. L., Ribeiro, J. P., & Schaan, B. D. (2011). Physical activity advice only or structured exercise training and association with HbA1c levels in type 2 diabetes. *JAMA*, 305(17), 1790 to 1799.
- Volpi, E., Nazemi, R., & Fujita, S. (2004). Muscle tissue changes with aging. *Current Opinion in Clinical Nutrition and Metabolic Care*, 7(4), 405 to 410.
- Wackerhage, H., Schoenfeld, B. J., Hamilton, D. L., Lehti, M., & Hulmi, J. J. (2019). Stimuli and sensors that initiate skeletal muscle hypertrophy following resistance exercise. *Journal of Applied Physiology*, 126(1), 30 to 43.
- Watson, S. L., Weeks, B. K., Weis, L. J., Harding, A. T., Horan, S. A., & Beck, B. R. (2018). High intensity resistance and impact training improves bone mineral density and physical function in postmenopausal women with osteopenia and osteoporosis. *Journal of Bone and Mineral Research*, 33(2), 211 to 220.
- Westcott, W. L. (2012). Resistance training is medicine: Effects of strength training on health. *Current Sports Medicine Reports*, 11(4), 209 to 216.
- World Health Organization. (2020). WHO guidelines on physical activity and sedentary behaviour. World Health Organization.