

References

- Antonio, J., & Gonyea, W. J. (1993). Skeletal muscle fiber hyperplasia. *Medicine and Science in Sports and Exercise*, 25(12), 1333 to 1345.
- Bergh, U., Thorstensson, A., Sjödin, B., Hulten, B., Piehl, K., & Karlsson, J. (1978). Maximal oxygen uptake and muscle fiber types in trained and untrained humans. *Medicine and Science in Sports*, 10(3), 151 to 154.
- Bogey, R. A., Perry, J., Bontrager, E. L., & Gronley, J. K. (2017). Comparison of the ankle plantar flexion contribution to normal walking gait between older and young adults. *Journal of Applied Biomechanics*, 33(1), 30 to 36.
- Borstad, J. D., & Ludewig, P. M. (2005). The effect of long versus short pectoralis minor resting length on scapular kinematics in healthy individuals. *Journal of Orthopaedic and Sports Physical Therapy*, 35(4), 227 to 238.
- Campos, G. E., Luecke, T. J., Wendeln, H. K., Toma, K., Hagerman, F. C., Murray, T. F., Ragg, K. E., Ratamess, N. A., Kraemer, W. J., & Staron, R. S. (2002). Muscular adaptations in response to three different resistance training regimens: Specificity of repetition maximum training zones. *European Journal of Applied Physiology*, 88(1 to 2), 50 to 60.
- Coratella, G., Tornatore, G., Longo, S., Esposito, F., & Cè, E. (2022). An electromyographic analysis of lateral raise variations and frontal raise in competitive bodybuilders. *International Journal of Environmental Research and Public Health*, 19(21), 14070.
- Costill, D. L., Daniels, J., Evans, W., Fink, W., Krahenbuhl, G., & Saltin, B. (1976). Skeletal muscle enzymes and fiber composition in male and female track athletes. *Journal of Applied Physiology*, 40(2), 149 to 154.
- Cruz Jentoft, A. J., Bahat, G., Bauer, J., Boirie, Y., Bruyère, O., Cederholm, T., Cooper, C., Landi, F., Rolland, Y., Sayer, A. A., Schneider, S. M., Sieber, C. C., Topinkova, E., Vandewoude, M., Visser, M., Zamboni, M., & Writing Group for the European Working Group on Sarcopenia in Older People 2. (2019). Sarcopenia: Revised European consensus on definition and diagnosis. *Age and Ageing*, 48(1), 16 to 31.
- Damas, F., Phillips, S., Vechin, F. C., & Ugrinowitsch, C. (2015). A review of resistance training induced changes in skeletal muscle protein synthesis and their contribution to hypertrophy. *Sports Medicine*, 45(6), 801 to 807.
- Dickie, J. A., Faulkner, J. A., Barnes, M. J., & Lark, S. D. (2017). Electromyographic analysis of muscle activation during pull up variations. *Journal of Electromyography and Kinesiology*, 32, 30 to 36.

- Drake, R. L., Vogl, A. W., & Mitchell, A. W. M. (2020). *Gray's anatomy for students* (4th ed.). Elsevier.
- Duchateau, J., & Enoka, R. M. (2011). Human motor unit recordings: Origins and insight into the integrated motor system. *Brain Research*, 1409, 42 to 61.
- Fragala, M. S., Cadore, E. L., Dorgo, S., Izquierdo, M., Kraemer, W. J., Peterson, M. D., & Ryan, E. D. (2019). Resistance training for older adults: Position statement from the National Strength and Conditioning Association. *Journal of Strength and Conditioning Research*, 33(8), 2019 to 2052.
- Fredericson, M., Cookingham, C. L., Chaudhari, A. M., Dowdell, B. C., Oestreich, N., & Sahrmann, S. A. (2000). Hip abductor weakness in distance runners with iliotibial band syndrome. *Clinical Journal of Sport Medicine*, 10(3), 169 to 175.
- Gollnick, P. D., Sjödin, B., Karlsson, J., Jansson, E., & Saltin, B. (1974). Human soleus muscle: A comparison of fiber composition and enzyme activities with other leg muscles. *Pflügers Archiv*, 348(3), 247 to 255.
- Haff, G. G., & Triplett, N. T. (Eds.). (2016). *Essentials of strength training and conditioning* (4th ed.). Human Kinetics.
- Hamlyn, N., Behm, D. G., & Young, W. B. (2007). Trunk muscle activation during dynamic weight training exercises and isometric instability activities. *Journal of Strength and Conditioning Research*, 21(4), 1108 to 1112.
- Haun, C. T., Vann, C. G., Roberts, B. M., Vigotsky, A. D., Schoenfeld, B. J., & Roberts, M. D. (2019). A critical evaluation of the biological construct skeletal muscle hypertrophy: Size matters but so does the measurement. *Frontiers in Physiology*, 10, 247.
- Helms, E. R., Aragon, A. A., & Fitschen, P. J. (2014). Evidence based recommendations for natural bodybuilding contest preparation: Nutrition and supplementation. *Journal of the International Society of Sports Nutrition*, 11, 20.
- Henneman, E., Somjen, G., & Carpenter, D. O. (1965). Functional significance of cell size in spinal motoneurons. *Journal of Neurophysiology*, 28(3), 560 to 580.
- Hodges, P. W., & Richardson, C. A. (1996). Inefficient muscular stabilization of the lumbar spine associated with low back pain. *Spine*, 21(22), 2640 to 2650.
- Hvid, L., Aagaard, P., Justesen, L., Bayer, M. L., Andersen, J. L., Ortenblad, N., Kjaer, M., & Suetta, C. (2010). Effects of aging on muscle mechanical function and muscle fiber morphology during short term immobilization and subsequent retraining. *Journal of Applied Physiology*, 109(6), 1628 to 1634.

- Kelley, G. (1996). Mechanical overload and skeletal muscle fiber hyperplasia: A meta analysis. *Journal of Applied Physiology*, 81(4), 1584 to 1588.
- Kibler, W. B., Press, J., & Sciascia, A. (2006). The role of core stability in athletic function. *Sports Medicine*, 36(3), 189 to 198.
- Lasevicius, T., Ugrinowitsch, C., Schoenfeld, B. J., Roschel, H., Tavares, L. D., De Souza, E. O., Laurentino, G., & Tricoli, V. (2018). Effects of different intensities of resistance training with equated volume load on muscle strength and hypertrophy. *European Journal of Sport Science*, 18(6), 772 to 780.
- McCall, G. E., Byrnes, W. C., Dickinson, A., Pattany, P. M., & Fleck, S. J. (1996). Muscle fiber hypertrophy, hyperplasia, and capillary density in college men after resistance training. *Journal of Applied Physiology*, 81(5), 2004 to 2012.
- McGill, S. (2010). Core training: Evidence translating to better performance and injury prevention. *Strength and Conditioning Journal*, 32(3), 33 to 46.
- Mendell, L. M. (2005). The size principle: A rule describing the recruitment of motoneurons. *Journal of Neurophysiology*, 93(6), 3024 to 3026.
- Moore, K. L., Dalley, A. F., & Agur, A. M. R. (2017). *Clinically oriented anatomy* (8th ed.). Wolters Kluwer.
- Morton, R. W., Colenso Semple, L., & Phillips, S. M. (2019). Training for strength and hypertrophy: An evidence based approach. *Current Opinion in Physiology*, 10, 90 to 95.
- Morton, R. W., Murphy, K. T., McKellar, S. R., Schoenfeld, B. J., Henselmans, M., Helms, E., Aragon, A. A., Devries, M. C., Banfield, L., Krieger, J. W., & Phillips, S. M. (2018). A systematic review, meta analysis and meta regression of the effect of protein supplementation on resistance training induced gains in muscle mass and strength in healthy adults. *British Journal of Sports Medicine*, 52(6), 376 to 384.
- Neumann, D. A. (2016). *Kinesiology of the musculoskeletal system: Foundations for rehabilitation* (3rd ed.). Elsevier.
- Nilwik, R., Snijders, T., Leenders, M., Groen, B. B. L., van Kranenburg, J., Verdijk, L. B., & van Loon, L. J. C. (2013). The decline in skeletal muscle mass with aging is mainly attributed to a reduction in type II muscle fiber size. *Experimental Gerontology*, 48(5), 492 to 498.
- Phillips, S. M. (2014). A brief review of critical processes in exercise induced muscular hypertrophy. *Sports Medicine*, 44(Suppl. 1), S71 to S77.

- Powers, S. K., & Howley, E. T. (2018). Exercise physiology: Theory and application to fitness and performance (10th ed.). McGraw Hill.
- Reiman, M. P., & Manske, R. C. (2009). Functional testing in human performance. Human Kinetics.
- Roberts, M. D., Haun, C. T., Vann, C. G., Osburn, S. C., & Young, K. C. (2020). Sarcoplasmic hypertrophy in skeletal muscle: A scientific unicorn or resistance training adaptation? *Frontiers in Physiology*, 11, 816.
- Schiaffino, S., & Reggiani, C. (2011). Fiber types in mammalian skeletal muscles. *Physiological Reviews*, 91(4), 1447 to 1531.
- Schoenfeld, B. J. (2010). The mechanisms of muscle hypertrophy and their application to resistance training. *Journal of Strength and Conditioning Research*, 24(10), 2857 to 2872.
- Schoenfeld, B. J. (2016). Science and development of muscle hypertrophy. Human Kinetics.
- Schoenfeld, B. J., & Aragon, A. A. (2018). How much protein can the body use in a single meal for muscle building? Implications for daily protein distribution. *Journal of the International Society of Sports Nutrition*, 15, 10.
- Schoenfeld, B. J., Contreras, B., Vigotsky, A. D., & Peterson, M. (2013). Differential effects of attentional focus strategies during long term resistance training. *European Journal of Sport Science*, 18(5), 705 to 712.
- Schoenfeld, B. J., Grgic, J., Ogborn, D., & Krieger, J. W. (2017). Strength and hypertrophy adaptations between low versus high load resistance training: A systematic review and meta analysis. *Journal of Strength and Conditioning Research*, 31(12), 3508 to 3523.
- Simoneau, J. A., & Bouchard, C. (1995). Genetic determinism of fiber type proportion in human skeletal muscle. *FASEB Journal*, 9(11), 1091 to 1095.
- Smerdu, V., Karsch Mizrachi, I., Campione, M., Leinwand, L., & Schiaffino, S. (1994). Type IIx myosin heavy chain transcripts are expressed in type IIb fibers of human skeletal muscle. *American Journal of Physiology*, 267(6 Pt 1), C1723 to C1728.
- Standring, S. (Ed.). (2020). *Gray's anatomy: The anatomical basis of clinical practice* (42nd ed.). Elsevier.
- Suetta, C., Aagaard, P., Magnusson, S. P., Andersen, L. L., Sipilä, S., Rosted, A., Jakobsen, A. K., Duus, B., & Kjaer, M. (2007). Muscle size, neuromuscular activation, and rapid force characteristics in elderly men and women: Effects of unilateral long term disuse due to hip osteoarthritis. *Journal of Applied Physiology*, 102(3), 942 to 948.

- Tortora, G. J., & Derrickson, B. H. (2017). Principles of anatomy and physiology (15th ed.). Wiley.
- van Dyk, N., Behan, F. P., & Whiteley, R. (2019). Including the Nordic hamstring exercise in injury prevention programmes halves the rate of hamstring injuries: A systematic review and meta analysis of 8459 athletes. *British Journal of Sports Medicine*, 53(21), 1362 to 1370.
- Wackerhage, H., Schoenfeld, B. J., Hamilton, D. L., Lehti, M., & Hulmi, J. J. (2019). Stimuli and sensors that initiate skeletal muscle hypertrophy following resistance exercise. *Journal of Applied Physiology*, 126(1), 30 to 43.
- Wall, B. T., Dirks, M. L., & van Loon, L. J. C. (2013). Skeletal muscle atrophy during short term disuse: Implications for age related sarcopenia. *Ageing Research Reviews*, 12(4), 898 to 906.
- Willson, J. D., Dougherty, C. P., Ireland, M. L., & Davis, I. M. (2005). Core stability and its relationship to lower extremity function and injury. *Journal of the American Academy of Orthopaedic Surgeons*, 13(5), 316 to 325.
- Wilson, J. M., Loenneke, J. P., Jo, E., Wilson, G. J., Zourdos, M. C., & Kim, J. S. (2012). The effects of endurance, strength, and power training on muscle fiber type shifting. *Journal of Strength and Conditioning Research*, 26(6), 1724 to 1729.