

References

- Alberti, K. G. M. M., Eckel, R. H., Grundy, S. M., Zimmet, P. Z., Cleeman, J. I., Donato, K. A., Fruchart, J. C., James, W. P. T., Loria, C. M., & Smith, S. C. (2009). Harmonizing the metabolic syndrome: A joint interim statement of the International Diabetes Federation Task Force on Epidemiology and Prevention; National Heart, Lung, and Blood Institute; American Heart Association; World Heart Federation; International Atherosclerosis Society; and International Association for the Study of Obesity. *Circulation*, 120(16), 1640 to 1645.
- American College of Sports Medicine. (2018). ACSM's guidelines for exercise testing and prescription (10th ed.). Wolters Kluwer.
- Barakat, C., Pearson, J., Escalante, G., Campbell, B., & De Souza, E. O. (2020). Body recomposition: Can trained individuals build muscle and lose fat at the same time? *Strength and Conditioning Journal*, 42(5), 7 to 21.
- Bhutani, S., Kahn, E., Tasali, E., & Schoeller, D. A. (2017). Composition of two week change in body weight under unrestricted free living conditions. *Physiological Reports*, 5(13), e13336.
- Bray, G. A., Kim, K. K., Wilding, J. P. H., & World Obesity Federation. (2017). Obesity: A chronic relapsing progressive disease process. A position statement of the World Obesity Federation. *Obesity Reviews*, 18(7), 715 to 723.
- Brzycki, M. (1993). Strength testing: Predicting a one rep max from reps to fatigue. *Journal of Physical Education, Recreation & Dance*, 64(1), 88 to 90.
- Burke, L. E., Wang, J., & Sevvick, M. A. (2011). Self monitoring in weight loss: A systematic review of the literature. *Journal of the American Dietetic Association*, 111(1), 92 to 102.
- Dehghan, M., & Merchant, A. T. (2008). Is bioelectrical impedance accurate for use in large epidemiological studies? *Nutrition Journal*, 7, 26.
- Donnelly, J. E., Blair, S. N., Jakicic, J. M., Manore, M. M., Rankin, J. W., & Smith, B. K. (2009). American College of Sports Medicine position stand: Appropriate physical activity intervention strategies for weight loss and prevention of weight regain for adults. *Medicine and Science in Sports and Exercise*, 41(2), 459 to 471.
- Drucker, P. F. (1954). *The practice of management*. Harper & Brothers.
- Fields, D. A., Goran, M. I., & McCrory, M. A. (2002). Body composition assessment via air displacement plethysmography in adults and children: A review. *American Journal of Clinical Nutrition*, 75(3), 453 to 467.
- Garthe, I., Raastad, T., Refsnes, P. E., Koivisto, A., & Sundgot Borgen, J. (2011). Effect of two different weight loss rates on body composition and strength and power related performance in elite athletes. *International Journal of Sport Nutrition and Exercise Metabolism*, 21(2), 97 to 104.

- Garthe, I., Raastad, T., Refsnes, P. E., & Sundgot Borgen, J. (2013). Effect of nutritional intervention on body composition and performance in elite athletes. *European Journal of Sport Science*, 13(3), 295 to 303.
- Haff, G. G., & Triplett, N. T. (Eds.). (2016). *Essentials of strength training and conditioning* (4th ed.). Human Kinetics.
- Hagger, M. S., & Chatzisarantis, N. L. D. (2014). An integrated behavior change model for physical activity. *Exercise and Sport Sciences Reviews*, 42(2), 62 to 69.
- Hall, K. D., & Chow, C. C. (2013). Why is the 3500 kcal per pound weight loss rule wrong? *International Journal of Obesity*, 37(12), 1614.
- Hall, K. D., Sacks, G., Chandramohan, D., Chow, C. C., Wang, Y. C., Gortmaker, S. L., & Swinburn, B. A. (2011). Quantification of the effect of energy imbalance on bodyweight. *The Lancet*, 378(9793), 826 to 837.
- Helms, E. R., Aragon, A. A., & Fitschen, P. J. (2014). Evidence based recommendations for natural bodybuilding contest preparation: Nutrition and supplementation. *Journal of the International Society of Sports Nutrition*, 11, 20.
- Helms, E. R., Kwan, K., Sousa, C. A., Cronin, J. B., Storey, A. G., & Zourdos, M. C. (2018). Methods for regulating and monitoring resistance training. *Journal of Human Kinetics*, 74, 23 to 42.
- Hodgdon, J. A., & Beckett, M. B. (1984). Prediction of percent body fat for U.S. Navy men from body circumferences and height. *Naval Health Research Center*.
- Issurin, V. B. (2010). New horizons for the methodology and physiology of training periodization. *Sports Medicine*, 40(3), 189 to 206.
- Jackson, A. S., & Pollock, M. L. (1985). Practical assessment of body composition. *The Physician and Sportsmedicine*, 13(5), 76 to 90.
- Kellmann, M. (2010). Preventing overtraining in athletes in high intensity sports and stress recovery monitoring. *Scandinavian Journal of Medicine and Science in Sports*, 20(Suppl. 2), 95 to 102.
- Kraemer, W. J., & Ratamess, N. A. (2004). Fundamentals of resistance training: Progression and exercise prescription. *Medicine and Science in Sports and Exercise*, 36(4), 674 to 688.
- Kyle, U. G., Bosaeus, I., De Lorenzo, A. D., Deurenberg, P., Elia, M., Manuel Gomez, J., Lilienthal Heitmann, B., Kent Smith, L., Melchior, J. C., Pirlich, M., Scharfetter, H., Schols, A. M. W. J., & Pichard, C. (2004). Bioelectrical impedance analysis - Part II: Utilization in clinical practice. *Clinical Nutrition*, 23(6), 1430 to 1453.

- Lemos, T., & Gallagher, D. (2017). Current body composition measurement techniques. *Current Opinion in Endocrinology, Diabetes and Obesity*, 24(5), 310 to 314.
- LeSuer, D. A., McCormick, J. H., Mayhew, J. L., Wasserstein, R. L., & Arnold, M. D. (1997). The accuracy of prediction equations for estimating 1 RM performance in the bench press, squat, and deadlift. *Journal of Strength and Conditioning Research*, 11(4), 211 to 213.
- Levinson, C. A., Fewell, L., & Brosos, L. C. (2017). My fitness pal calorie tracker usage in the eating disorders. *Eating Behaviors*, 27, 14 to 16.
- Linardon, J., & Mitchell, S. (2017). Rigid dietary control, flexible dietary control, and intuitive eating: Evidence for their differential relationship to disordered eating and body image concerns. *Eating Behaviors*, 26, 16 to 22.
- Longland, T. M., Oikawa, S. Y., Mitchell, C. J., Devries, M. C., & Phillips, S. M. (2016). Higher compared with lower dietary protein during an energy deficit combined with intense exercise promotes greater lean mass gain and fat mass loss: A randomized trial. *American Journal of Clinical Nutrition*, 103(3), 738 to 746.
- Madigan, C. D., Daley, A. J., Lewis, A. L., Aveyard, P., & Jolly, K. (2014). Is self weighing an effective tool for weight loss: A systematic literature review and meta analysis. *International Journal of Behavioral Nutrition and Physical Activity*, 12, 104.
- Mayhew, J. L., Ball, T. E., Arnold, M. D., & Bowen, J. C. (1992). Relative muscular endurance performance as a predictor of bench press strength in college men and women. *Journal of Applied Sport Science Research*, 6(4), 200 to 206.
- McLean, B. D., Coutts, A. J., Kelly, V., McGuigan, M. R., & Cormack, S. J. (2010). Neuromuscular, endocrine, and perceptual fatigue responses during different length between match microcycles in professional rugby league players. *International Journal of Sports Physiology and Performance*, 5(3), 367 to 383.
- Meeusen, R., Duclos, M., Foster, C., Fry, A., Gleeson, M., Nieman, D., Raglin, J., Rietjens, G., Steinacker, J., & Urhausen, A. (2013). Prevention, diagnosis and treatment of the overtraining syndrome: Joint consensus statement of the European College of Sport Science and the American College of Sports Medicine. *European Journal of Sport Science*, 13(1), 1 to 24.

- Meeusen, R., Duclos, M., Foster, C., Fry, A., Gleeson, M., Nieman, D., Raglin, J., Rietjens, G., Steinacker, J., & Urhausen, A. (2013). Prevention, diagnosis and treatment of the overtraining syndrome: Joint consensus statement of the European College of Sport Science and the American College of Sports Medicine. *European Journal of Sport Science*, 13(1), 1 to 24.
- Misra, A., Chowbey, P., Makkar, B. M., Vikram, N. K., Wasir, J. S., Chadha, D., Joshi, S. R., Sadikot, S., Gupta, R., Gulati, S., Munjal, Y. P., & Concensus Group. (2009). Consensus statement for diagnosis of obesity, abdominal obesity and the metabolic syndrome for Asian Indians and recommendations for physical activity, medical and surgical management. *Journal of the Association of Physicians of India*, 57, 163 to 170.
- Orphanidou, C., McCargar, L., Birmingham, C. L., Mathieson, J., & Goldner, E. (1994). Accuracy of subcutaneous fat measurement: Comparison of skinfold calipers, ultrasound, and computed tomography. *Journal of the American Dietetic Association*, 94(8), 855 to 858.
- atel, M. L., Hopkins, C. M., Brooks, T. L., & Bennett, G. G. (2019). Comparing self monitoring strategies for weight loss in a smartphone app: Randomized controlled trial. *JMIR mHealth and uHealth*, 7(2), e12209.
- Peterson, M. D., Sen, A., & Gordon, P. M. (2011). Influence of resistance exercise on lean body mass in aging adults: A meta analysis. *Medicine and Science in Sports and Exercise*, 43(2), 249 to 258.
- Rhea, M. R. (2004). Determining the magnitude of treatment effects in strength training research through the use of the effect size. *Journal of Strength and Conditioning Research*, 18(4), 918 to 920.
- Rhodes, R. E., Janssen, I., Bredin, S. S. D., Warburton, D. E. R., & Bauman, A. (2017). Physical activity: Health impact, prevalence, correlates and interventions. *Psychology and Health*, 32(8), 942 to 975.
- Rikli, R. E., & Jones, C. J. (2013). *Senior fitness test manual* (2nd ed.). Human Kinetics.
- Schoenfeld, B. J. (2016). *Science and development of muscle hypertrophy*. Human Kinetics.
- Slater, G. J., Dieter, B. P., Marsh, D. J., Helms, E. R., Shaw, G., & Iraki, J. (2019). Is an energy surplus required to maximize skeletal muscle hypertrophy associated with resistance training? *Frontiers in Nutrition*, 6, 131.

- Steele, J., Fisher, J., Skivington, M., Dunn, C., Arnold, J., Tew, G., Batterham, A. M., Nunan, D., O'Driscoll, J. M., Mann, S., Beedie, C., Jobson, S., Smith, D., Vigotsky, A., Phillips, S., Estabrooks, P., & Winett, R. (2017). A higher effort based paradigm in physical activity and exercise for public health: Making the case for a greater emphasis on resistance training. *BMC Public Health*, 17(1), 300.
- Steinberg, D. M., Tate, D. F., Bennett, G. G., Ennett, S., Samuel Hodge, C., & Ward, D. S. (2013). The efficacy of a daily self weighing weight loss intervention using smart scales and email. *Obesity*, 21(9), 1789 to 1797.
- Teixeira, P. J., Carraça, E. V., Markland, D., Silva, M. N., & Ryan, R. M. (2012). Exercise, physical activity, and self determination theory: A systematic review. *International Journal of Behavioral Nutrition and Physical Activity*, 9, 78.
- Toombs, R. J., Ducher, G., Shepherd, J. A., & De Souza, M. J. (2012). The impact of recent technological advances on the trueness and precision of DXA to assess body composition. *Obesity*, 20(1), 30 to 39.
- van Marken Lichtenbelt, W. D., Hartgens, F., Vollaard, N. B. J., Ebbing, S., & Kuipers, H. (2004). Body composition changes in bodybuilders: A method comparison. *Medicine and Science in Sports and Exercise*, 36(3), 490 to 497.
- Wagner, D. R., & Heyward, V. H. (1999). Techniques of body composition assessment: A review of laboratory and field methods. *Research Quarterly for Exercise and Sport*, 70(2), 135 to 149.
- White, C. P., Hitchcock, C. L., Vigna, Y. M., & Prior, J. C. (2011). Fluid retention over the menstrual cycle: 1 year data from the prospective ovulation cohort. *Obstetrics and Gynecology International*, 2011, 138451.
- Williams, T. D., Toluoso, D. V., Fedewa, M. V., & Esco, M. R. (2017). Comparison of periodized and non periodized resistance training on maximal strength: A meta analysis. *Sports Medicine*, 47(10), 2083 to 2100.